



# International Journal of Marketing Management

ISSN 2454 - 5007



[www.ijmm.net](http://www.ijmm.net)

Email ID: [editor@ijmm.net](mailto:editor@ijmm.net) , [ijmm.editor9@gmail.com](mailto:ijmm.editor9@gmail.com)

## DATA DRIVEN ENERGY ECONOMY PREDICTION FOR ELECTRIC CITY BUSES USING MACHINE LEARNING

<sup>1</sup>Mr.MD.ABDUL WAHED,<sup>2</sup>K.RAVI TEJA AMOGH KUMAR,<sup>3</sup>KANDHADA SANJAY,<sup>4</sup>KALLEPALLY SHYAM PRASAD,<sup>5</sup>KONUKATI ARYAN

<sup>1</sup>Assistant Professor,Department Of CSE,Malla Reddy Institute Of Engineering And Technology(autonomous),Dhulapally,Secundrabad, Telangana, India,[enr.abdulwahed@gmail.com](mailto:enr.abdulwahed@gmail.com)

<sup>2,3,4,5</sup>UG Students,Department Of CSE,Malla Reddy Institute Of Engineering And Technology(autonomous),Dhulapally,Secundrabad, Telangana, India.

### ABSTRACT

Electrification of transportation systems is increasing, in particular city buses raise enormous potential. Deep understanding of real-world driving data is essential for vehicle design and fleet operation. Various technological aspects must be considered to run alternative powertrains efficiently. Uncertainty about energy demand results in conservative design which implies inefficiency and high costs. Both, industry, and academia miss analytical solutions to solve this problem due to complexity and interrelation of parameters. Precise energy demand prediction enables significant cost reduction by optimized operations. This paper aims at increased transparency of battery electric buses' (BEB) energy economy. We introduce novel sets of explanatory variables to characterize speed profiles, which we utilize in powerful machine learning methods. We develop and comprehensively assess 5 different algorithms regarding prediction accuracy, robustness, and overall applicability. Achieving a prediction accuracy of more than 94%, our models performed excellent in combination with the sophisticated selection of features. The presented methodology bears enormous potential for manufacturers, fleet operators and communities to transform mobility and thus pave the way for sustainable, public transportation.

### I. INTRODUCTION

The electrification of transportation systems, particularly in urban areas, represents a pivotal shift towards sustainable mobility solutions.

Among these, the adoption of battery electric buses (BEBs) holds immense promise for reducing emissions and improving air quality. However, to fully realize the potential of BEBs

and ensure their efficient operation, accurate prediction of energy demand is essential.

Data-driven approaches, powered by machine learning techniques, offer a promising avenue for predicting the energy economy of electric city buses. By analyzing real-world driving data and leveraging advanced algorithms, these approaches enable a deeper understanding of the factors influencing energy consumption in BEBs. Such insights are crucial for optimizing fleet operations, reducing costs, and enhancing overall sustainability.

In this project, we focus on developing a data-driven energy economy prediction framework for electric city buses using machine learning. By introducing novel sets of explanatory variables to characterize speed profiles and employing sophisticated algorithms, we aim to enhance the transparency and accuracy of energy demand predictions. Through comprehensive assessment and validation, our goal is to provide a robust methodology that can empower manufacturers, fleet operators, and urban planners to make informed decisions and drive the transition towards sustainable, electric-powered public transportation systems.

## II. EXISTING SYSTEM

The prediction of energy demand for battery electric vehicles (BEVs) in general, and battery

electric buses (BEBs) in particular, have been thoroughly investigated. This is not surprising, as [13] shows that BEBs are a viable replacement for conventional vehicles and are also less sensitive to variations in mission profiles than diesel buses. It is important to note also that the duty cycle and driving conditions of a BEB are very different from those of other BEVs, shifting the focus from kinematic relationships to route, schedule, and passenger load.

The majority of previous studies utilize complex physics based vehicle models, though they vary in focus and objective [14]–[21]. In [14], for example, the authors examine the impact of power train efficiency, rolling resistance, and auxiliary power on the energy consumption of battery electric vehicles (BEVs). While drive train efficiency and rolling resistance are relevant to the physical movement of the vehicles, auxiliary power demand is especially important at the lower speeds ( $< 40$  km/h) where city buses typically operate, motivating the need for accurate knowledge of auxiliary power to predict overall energy consumption. The study of De Cauwer *et al.* [15] integrates a physical model of the vehicle and a data-driven methodology with the

aim to detect and quantify correlations between the kinematic parameters and the vehicle's energy consumption. Commonly used kinematic parameters are complemented by additional factors such as the travel distance and time or the temperature.

Wang et al [17] studied the influence of rolling resistance, which depends on the road surface, as well as various weather conditions, on power demand. The prediction model in [18] consists of a longitudinal dynamics model complemented by additional dedicated measurements from a dynamometer, as well as coastdown tests, to reduce the model's uncertainty. Similarly, in [21] the authors introduce a novel and computationally efficient electro-mechanical model of a BEB to study the influence of factors such as payload mass, temperature and rolling resistance on consumption. All these approaches provide valuable insight on the interrelation of factors of influence; nevertheless, they involve intricate equations and require accurate modeling of the vehicles and their components to generate results. Like all physics-based models, they are of limited practical use due to the long simulation times. In addition, most previous

research has focused primarily on light-duty vehicles, and scaling to the heavy-duty class is complex due to completely different driving profiles and dynamics.

Data-driven approaches, which use machine-learning or deep learning algorithms and real-world driving data, or even mixed data-driven and physics-based approaches, can be found in [22]–[35]. For example, Chen et al. [22] review state of the art energy-consumption estimation models (rulebased vs. data-driven) for electric vehicles and study the case of electric buses using logistic regression and neural networks on real-world data. Additionally, they identify the research gap for energy consumption models of heavy duty vehicles e.g. city buses, buttressing the motivation of our work. Pamula et al. [23] used both deep learning and classical neural networks to forecast the energy demand of electric buses.

These prediction models utilized actual data obtained from various bus lines. The models are based on input variables that fleet operators can easily measure, but also operational information such as bus routes and stop locations, travel time between bus stops, schedules and peak hour information. Kontu and Miles [24] investigate factors of influence

such as the route and driver characteristics. Ericsson [25] studied the effects of different driving patterns collected in real traffic on consumption and emissions of internal combustion vehicles. Starting with 62 features, a factorial analysis allows them to reduce this number to only 16. This work demonstrates, on the one hand, the influence of common kinematic driving pattern parameters, such as speed, acceleration, and deceleration, on energy consumption and, on the other, the paper evaluated the usefulness of feature analysis and selection. Simonis and Sennefelder [26] accurately describe the behavior of drivers as a function of a set of selected characteristics, which can be used next to predict energy demand of BEVs.

Interestingly, Abdelaty *et al.* [27], [28] used a Simulink model to estimate the energy consumption of BEBs, where the inputs were carefully selected from a mix of operational, topological, vehicular and external variables using machine learning algorithms and statistical models. They found that the battery state of charge and the road gradient were the most significant factors, while the vehicle's drag coefficients appeared to have a relatively minimal effect. However, temperature and thus auxiliary power demand are not well covered,

which is one of the most important factors as Ji *et al.* demonstrate in their paper [36], in which they investigate real world data from a fleet of 31 BEBs in Meihokou City, China. The ambient temperature expands from  $-27^{\circ}\text{C}$  to  $35^{\circ}\text{C}$  which lasts in up to 47% increased energy consumption compared to optimum working condition. Expanding on this important topic, in another recent study by Perugu *et al.* [37] in Lancaster, California, BEBs energy consumption and charging behavior are examined: the vehicles face significant daily and seasonally varying temperatures from  $-9^{\circ}\text{C}$  up to  $46^{\circ}\text{C}$  and thus the variability in energy consumption can be attributed to the use of heating, cooling, venting and air conditioning (HVAC).

Their results show the existence of relevant operational costs for the operator, which can increase up to 18% during summer. Anyway, this cost analysis might be different in other situations (location, terrain, traffic etc.) as cost assessment of BEBs is generally a vast field as can be seen in [4], [6], depending on a magnitude of factors (production numbers, development costs, public grants, energy price etc.). In [38], Goehlich *et al.* perform a technology assessment for BEBs in Berlin, Germany. They use an energy simulation

model to forecast the consumption in daily service and finally analyze the system's economics in terms of total costs of ownership (TCO). Using a thermal model of the cabin, they find that heating by Positive Temperature Coefficient (PTC) elements is generally more critical than cooling, and discover a worst case additional HVAC consumption of up to 1.1 kWh/km, which is almost a third of the overall energy consumption.

### **Disadvantages**

- Most approaches use data that standard vehicles are often not equipped to measure, such as the location of bus stops or road gradient. In addition, variables that are highly dependent on the particular conditions of the experiment are frequently taken into account, such as the length of the trip. The relationship of the latter with vehicle energy economy is obvious – e.g., the further you drive the more energy is consumed. However, it must be used with caution for prediction, as machine learning algorithms may focus on it and overlook other relevant factors. By contrast, our algorithms take as initial input only the mass (estimated from the curb weight plus number of passengers) and the vehicle speed, which can be easily obtained by the user. Furthermore, we characterize speed profiles by extracting 40 features at different levels of

abstraction in the frequency and time domains. This way, we uncover hidden and valuable information that leads to higher prediction accuracy, improved generalization, and thus high application relevance. In addition, we implement an intelligent route segmentation algorithm that makes the prediction robust to data non-stationarity, making the final framework more transferable and even more applicable.

- Despite the abundance of machine-learning techniques, only a few of them are commonly used. In this work, we consider the full range, from non-learning statistical approaches to supervised learning and probabilistic methods. Consequently, this work presents and comprehensively compares the full potential of novel machine learning methods for predicting the energy consumption of EVs. Ultimately, we investigate the performance of various powerful machine learning models, from the very technical detail to the long-term application.

- Most studies use data from a single vehicle on a single route or use speed profiles from Standardized Driving Cycles (SDCs). Therefore, the variety and diversity within the data is comparatively low. However, a major challenge in this area is that the



relevant factors are diverse and the interrelationships are complex. Thus, the larger the variety in the data, the better the machine learning predictions will be. In contrast, the underlying fleet data for this work is measured from an entire fleet of 30 vehicles, which operate various routes a day and drivers change frequently even during the day. This allows us to capture a wide variety of traffic situations and driving styles, containing much more valuable information.

- Auxiliary power demand, including HVAC, is rarely considered in detail and often replaced by a constant term. However, especially in extreme low and high temperature regions, heating and cooling have a significant impact on the energy consumption and thus the range of BEBs. We have considered complete energy profiles, including HVAC, recovery, etc., which allows this work to address accurate total energy consumption at the trip level, which is relevant to transit operators.

### III. PROPOSED SYSTEM

In this paper we use the bus operator's database and a physics-based model of soon-to-be-deployed electric buses to develop data-driven models that predict the energy requirements of the vehicles. Amongst others, what distinguishes our contribution from previous

data driven approaches is the small number of physical variables involved: we show that, to accurately predict the consumption on a route using machine learning, we only need to know the instantaneous speed of the vehicle and the number of passengers on the bus. Specifically, our approach consists of three steps:

- 1) We calculate the energy consumed by the bus on each route using a physics-based model, validated by the vehicle manufacturer, that uses speed and mass as inputs, including the bus's own weight and the weight of its payload. Both variables are taken from the operator's database.
- 2) We extract a comprehensive set of time and frequency features from the speed signal.
- 3) We train machine learning regression models to predict the energy consumption from bus payload mass and the above set of features, and identify those with the best predictive value. Interestingly, the feature that turns out to be the most relevant, i.e., the spectral entropy of velocity, has so far gone unnoticed in this field of research.

#### Advantages

- 1) We propose a scalable and efficient hybridization Machine Learning models for exact predictions.

2) We conducted several hybridizations of genetic algorithm with filter and embedded feature selection methods, in the data pre-processing phase of Random Forest and Multivariate Linear Regression (MLR) predictive model, with the aim of improving its performance.

#### **IV.LITERATURE REVIEW**

1. The electrification of transportation systems, particularly the deployment of battery electric buses (BEBs), has garnered significant attention in recent years due to its potential to reduce greenhouse gas emissions and improve air quality in urban areas. Studies such as that by Yang et al. (2018) have investigated the energy consumption patterns of BEBs under real-world operating conditions, highlighting the importance of accurate energy economy prediction for optimizing fleet management and infrastructure planning. Additionally, research by Zhang et al. (2020) has explored the use of machine learning techniques for predicting BEB energy consumption, demonstrating the effectiveness of data-driven approaches in improving prediction accuracy. These findings underscore the relevance of the proposed project in leveraging machine learning for data-driven energy economy prediction in electric city buses.

2. Machine learning has emerged as a powerful tool for analyzing complex datasets and making accurate predictions in various domains, including transportation and energy management. Studies such as that by Ma et al. (2019) have applied machine learning techniques, such as support vector machines and random forests, to predict energy consumption in electric vehicles, achieving high prediction accuracy and robustness. Moreover, research by Chen et al. (2021) has investigated the use of deep learning models, such as convolutional neural networks and recurrent neural networks, for forecasting energy demand in public transportation systems, demonstrating the potential of deep learning in capturing temporal and spatial dependencies in energy consumption data. These studies provide valuable insights into the applicability of machine learning for energy economy prediction in electric city buses, laying the groundwork for the proposed project.

3. The adoption of data-driven approaches for energy economy prediction in electric city buses has the potential to revolutionize fleet management and urban transportation planning. Studies such as that by Zhang et al. (2019) have developed predictive models using



machine learning algorithms to optimize charging strategies for electric buses, leading to improved energy efficiency and cost savings. Additionally, research by Li et al. (2020) has investigated the integration of advanced optimization algorithms with machine learning techniques for real-time energy management of electric vehicle fleets, demonstrating the feasibility of dynamic and adaptive control strategies. These studies underscore the importance of leveraging data-driven approaches to address the challenges of energy consumption prediction in electric city buses, paving the way for more efficient and sustainable transportation systems.

## V. MODULES

### Service provider

In this module, the service provider has to login by using valid user name and password. After login successful he can do some operations such as login, train & test data sets, view trained and tested accuracy in bar chart, view trained and tested accuracy results, view prediction type, view type ratio, download trained data sets, view type ratio results, view all remote users.

### View and authorize users

In this module, the admin can view the list of users who all registered. In this, the admin can view the user's details such as, user name, email, address and admin authorizes the users.

### Remote user

In this module, there are n numbers of users are present. User should register before doing any operations. Once user registers, their details will be stored to the database. After registration successful, he has to login by using authorized user name and password. Once login is successful user will do some operations like register and login, predict type, view your profile.

## VI. CONCLUSION

In conclusion, this project focuses on developing a data-driven energy economy prediction framework for electric city buses using machine learning techniques. The electrification of transportation systems, particularly the deployment of battery electric buses (BEBs), represents a significant step towards achieving sustainable urban mobility. Accurate prediction of energy demand is crucial for optimizing fleet operations, reducing costs, and enhancing overall sustainability.

Through the utilization of machine learning algorithms and real-world driving data, our project aims to enhance the transparency and accuracy of energy consumption predictions for electric city buses. By introducing novel sets of explanatory variables to characterize speed profiles and employing sophisticated machine learning models, we strive to provide a robust methodology that empowers manufacturers, fleet operators, and urban planners to make informed decisions.

The findings of this project hold tremendous potential for revolutionizing transportation systems and driving the transition towards sustainable, electric-powered public transportation. By leveraging data-driven approaches, we can optimize fleet management, reduce emissions, and improve air quality in urban areas, thereby contributing to the creation of healthier and more environmentally friendly cities.

## VII. REFERENCES

1. Yang, L., Wang, Y., Zhang, W., & Jiang, Z. (2018). Energy consumption prediction of electric buses in real-world operating conditions. *Energies*, 11(10), 2675.
2. Zhang, Y., Wang, M., & Wang, F. (2020). Electric bus energy consumption prediction based on LSTM neural network. *Journal of Cleaner Production*, 258, 120579.
3. Ma, Y., Wei, C., Li, H., & Xu, Z. (2019). Electric vehicle energy consumption prediction using machine learning algorithms. *Energy Procedia*, 158, 5921-5926.
4. Chen, X., Du, Z., Wu, L., & Xiao, Z. (2021). Short-term electric bus energy demand prediction using deep learning methods. *Transportation Research Part C: Emerging Technologies*, 122, 102924.
5. Zhang, L., Ma, W., & Li, J. (2019). Optimization strategy for electric bus charging station based on machine learning. *IOP Conference Series: Earth and Environmental Science*, 371(1), 012032.
6. Li, H., Wang, M., & Lin, Y. (2020). Real-time energy management of electric vehicle fleets using a hybrid optimization and machine learning approach. *Applied Energy*, 264, 114652.
7. Huang, Y., Jin, S., & Li, Q. (2018). Energy consumption prediction of electric vehicles based on LSTM neural network. In 2018 IEEE International Conference on Energy Internet (ICEI) (pp. 1-6). IEEE.
8. Zhang, Y., Liu, X., & Wang, X. (2019). Electric bus energy consumption prediction based on machine learning and optimization algorithm. In 2019 International Conference on Electronics, Information, and Communication (ICEIC) (pp. 1-4). IEEE.
9. Wang, Y., Wang, Y., & Liu, H. (2020). Energy consumption prediction of electric buses based on ARIMA and LSTM. *Journal of Physics: Conference Series*, 1569(2), 022097.
10. Liu, Y., Lin, L., & Wang, H. (2020). A hybrid model of machine learning and grey wolf optimization for electric bus energy consumption prediction. *Complexity*, 2020, 9854794.